

Form for Uploading Half Yearly Compliance Report

Proposal Details

Proposal No

IA/CG/IND/18759/2008

Category

Industrial Projects - 1

Name of Project

Expansion of Integrated Steel Plant at Siltara Growth Centre , Siltara Raipur Chhattisgarh by M/s. Jayaswal Neco Industries Limited

Plot / Survey/ Khasra No.**Village(s)****Sub-District(s)****State**

CHHATTISGARH

District

RAIPUR

MoEF File No

J-11011/809/2007-IA.II(I)

Name of the Entity/**Corporate Office**

Jayaswal Neco Industries I

Entity's PAN *

NA

[Update E-KYC](#)

Entity Name as per PAN *

JAYASWAL NECO INDUSTI

Entity details mentioned above is correct ? *

☒ Agree ☐ Disagree

Covering Letter

Covering Letter

[Click to View](#)

[Choose File](#) Ltr No. 181 JNIL SPD.pdf

Compliance Reporting Details

Reporting Year *

2024 ▼

Reporting Period *

01 Dec(01 Apr - 30 Sep) ▼

[View Previous Compliances](#)

Remark(if any)

Details of Production and Project Area

Date of Commencement of Project/Activity

27-07-2015


	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	<input type="text" value="0"/>	<input type="text" value="0"/>
Revenue Land	<input type="text" value="0"/>	<input type="text" value="0"/>
Forest	<input type="text" value="0"/>	<input type="text" value="0"/>
Others	<input type="text" value="417.35"/>	<input type="text" value="417.35"/>
Total	<input type="text" value="417.35"/>	<input type="text" value="417.35"/>

Land Documents

No file chosen

(Upload Pdf only Max 20 MB)

PRODUCTION CAPACITY				
Name of the Product *	Units *	As per EC Granted *	As per CTO Granted	CTO ID
<input type="text"/>	<input type="text" value="Select"/> ▼	<input type="text"/>	<input type="text"/>	<input type="text"/>

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	Valid Up To	Production during last financial year	Action
1	Sinter Plant	Tons per Annum (TPA)	2800000	800000	7303/TS/CECB/2022	31-12-2024	606095.31	 Delete Row


2	Coke oven Non Recovery type	Tons per Annum (TPA)	868000	200000	7303/TS/CECB/2022	31- 12- 2024	188789	 Delete Row
3	Steel Melting Shop	Tons per Annum (TPA)	2400000	1200000	7303/TS/CECB/2022	31- 12- 2024	675202	 Delete Row
4	Rolling Mill	Tons per Annum (TPA)	2400000	1200000	7303/TS/CECB/2022	31- 12- 2024	626221	 Delete Row
5	Blast Furnace	Tons per Annum (TPA)	1650000	650000	7303/TS/CECB/2022	31- 12- 2024	643220	 Delete Row
6	Cement Grinding Unit	Tons per Annum (TPA)	2400000	0	Not established	01- 12- 0001	0	 Delete Row
7	Oxygen Plant	Tons per Day (TPD)	510	510	7303/TS/CECB/2022	31- 12- 2024	336	 Delete Row
8	Iron Ore Pellet Plant	Tons per Annum (TPA)	2500000	1500000	7303/TS/CECB/2022	31- 12- 2024	1135330	 Delete Row
9	Captive Power Plant	MW	107	26	7303/TS/CECB/2022	31- 12- 2024	187265.9	 Delete Row


****Note : If EC Conditions are not available below, Click here to upload EC Condition.**



[Upload EC Condition](#)



Conditions *



Specific Conditions





Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents		Enter Status of Compliance	Action
1	Statutory compliance	No coal-based sponge iron plant and captive power plant shall be installed as per the order of State Govt. of Chhattisgarh and shall take prior approval from the State Govt. and Ministry as and when decided for the installation of the same.	PPs Submission	Noted Agreed to Comply 30-11-2024 Attachment:NA	Enter	 Delete Row




2	AIR QUALITY MONITORING AND PRESERVATION	<p>Efforts shall be made to reduce RSPM levels in the ambient air and time bound action plan shall be submitted. On line stack monitoring facilities for all the stacks and sufficient air pollution control devices shall be provided to keep emission levels below 100 mg/Nm3. in cement plant, limit of SPM shall be controlled within 50 mg/Nm3 by installing adequate air pollution control devices.</p>	PPs Submission	<p>Following are the actions taken in the existing plant to control the RSPM. Regular cleaning on the roads by road sweeping machine. Vehicular speed is maintained at below 20 KMPH inside the premises. Peripheral plantation has been done all along the boundary. Regular maintenance of Air Pollution Control devices. Covering of Belt conveyors. Regular water sprinkling is being done through fix type of sprinkler as well as water tanker. The company On-line emission monitoring system (Opacity meter and Gaseous) has been provided in the process stacks and connected with the CPCB/SPCB server. Adequate air pollution control devices i.e., ESP, Bag House, Bag filters are attached to the various process units to control the emission level PM below 50 mg/Nm3. In addition to control the fugitive</p>	Enter	 Delete Row
---	---	---	----------------	--	-----------------------	---



				emission we have provided the Dry fog type of dust suppression system at various places. Complied 30-11-2024 Attachment:NA		
3	ENERGY PRESERVATION MEASURES	All the standard prescribed for the coke oven plant shall be followed as per the latest guidelines. Proper and full utilization of coke oven and gases in power plant using waste heat recovery steam generators shall be ensured and no flue gases shall be discharged into the air.	PPs Submission	All standard prescribed for the coke oven plant is being followed as per the latest guidelines and below the limit. The Coke oven gases are being utilized for Power generation through Waste heat recovery boilers. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
4	AIR QUALITY MONITORING AND PRESERVATION	Gaseous emission levels including secondary fugitive emissions from blast furnace and sinter plant shall be controlled within the latest permissible limits issued by the Ministry and regularly monitored. Guidelines/ code of practices issued by the CPCB shall be followed	PPs Submission	The company installed wet GCP as well as bag filters in Cast house and stock house in the Blast furnace to control the gaseous and fugitive emission. In sinter plant ESP and 04 nos. Bag filters in installed in sinter plant to control the source emission and fugitive emissions. CEMS in blast furnace and sinter plant for monitoring the emission level and same is connected with CECB/CPCB server. Also followed the	Enter	 Delete Row

				Guidelines/ code of practices issued by the CPCB. Complied 30-11-2024 Attachment:NA		
5	MISCELLANEOUS	Efforts shall be made to reduce impact of the transport of the raw materials and end products on the surrounding environment including agriculture land. All the raw material including fly ash transported in the closed containers only and shall not be overloaded. Vehicular emissions regularly monitored.	PPs Submission	The company is connected with railway network, most of the raw materials are being transported through rail. Other raw materials and end product are transported through covered truck only. Fly Ash is being transported in tarpaulin covered vehicle; water spray is being done on the fly ash vehicle to prevent avoid dust emission. PUC camp organized in regular interval for monitoring of Vehicular emission. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
6	AIR QUALITY MONITORING AND PRESERVATION	Electrostatic precipitator (ESP) shall be provided to Sinter plant, Pellet plant, Beneficiation plant, power plant, and cement plant. Stacks of adequate height as per CPCB guidelines shall be provided to control emissions from the blast furnace (BF), Sinter Plant, Coke	PPs Submission	ESP has been provided in Sinter Plant, Pellet Plant and Power Plants to control the emission below prescribed norms. Stacks of adequate height as per CPCB guidelines have been provided to	Enter	 Delete Row


		Oven, Steel Melting Shop (SMS), Rolling Mill etc.		control emissions from all the established plants. Complied 30-11-2024 Attachment:NA		
7	AIR QUALITY MONITORING AND PRESERVATION	Dust extraction system comprising of pulse jet type bag filter shall be provided to Blast furnace, Cement grinding unit, Beneficiation plant and Pellet plant, Fume extraction system with bag filters shall be provided to Steel melting shop to control fugitive emissions. Suction hood with separator shall be provided to collect the dust particles.	PPs Submission	Bag Filters have been provided to the existing Blast furnace and Pellet Plant. Fume extraction system with bag filters and Suction hood with separator has been provided in existing Steel melting shop to control fugitive emissions. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
8	WATER QUALITY MONITORING AND PRESERVATION	Total requirement of the water from the Kharun river shall not exceed 36,350 m3/day. Closed circuit system shall be adopted. All the waste shall be treated, in effluent treatment plant (ETP) and treated waste water including cooling tower blow down shall be used for dust suppression, slag granulation, green belt development and various other project related activities. Clarifier and thickener shall be installed in beneficiation and pellet plant for water recovery and recirculation.	PPs Submission	The total water requirement from Kharun river is within the sanctioned limit. All the waste water treated and recycled by WWTP (ETP) and used in plant process, green belt development and dust suppression. Clarifier and thickener are installed in pellet plant for water recovery and recirculation. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row

9	WATER QUALITY MONITORING AND PRESERVATION	Continuous monitoring of total organic compounds (TOC) shall be done at the outlet of ETP (BOD plant).	PPs Submission	Continuous monitoring of total organic compounds (TOC) is being done at the outlet of ETP. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
10	WATER QUALITY MONITORING AND PRESERVATION	Prior permission for the drawl of 36,350 m3/day water from the Kharoon river shall be obtained from the concerned department.	PPs Submission	Required permission has been obtained from water resource dept. Govt. of CG vide letter no 5323/29/14/M/31/01, dated 28.10.02. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
11	WATER QUALITY MONITORING AND PRESERVATION	Zero effluent discharge shall be strictly followed and no waste water shall be discharged outside premises.	PPs Submission	We are always maintained the zero-discharge condition. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
12	WASTE MANAGEMENT	All the blast furnace (BF) slag shall be granulated in slag granulated plant and provided to the cement manufacturers for further utilization. Flue dust from pellet plant, sinter plant, DRI and SMS and sludge from the BF shall be reused in sinter plant. Flue dust from beneficiation and cement units shall also be recycled. Coke breeze from coke oven plant shall be used in sinter and pellet plant. SMS slag shall be given for metal recovery or properly utilized. All the other solid / hazardous	PPs Submission	The blast furnace granulated Slag is supplied to the Cement plant. Flue dust of SMS, sludge from Blast furnace is being utilized in Sinter plant. Flue dust from Pellet Plant is being used in process back. Coke breeze is used in Sinter Plant and SMS Slag used for road compacting/concreting after metal recovery. Used Oil is sold to the CPCB authorized re-processor/recycler. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row


		waste shall be properly utilized or disposed off in environment friendly manner. Waste oil and lubricant shall be sold to authorized recyclers.				
13	WASTE MANAGEMENT	A time bound action plan shall be submitted to reduce solid waste, its proper utilization and disposal.	PPs Submission	The 100 percent solid waste is being utilized as per recommended guidelines i.e. Bag filter dust GCP sludge, flue dust, mill scale and coke breeze is consume in sinter plant and pellet plant ESP and bag filter dust is recycle back in process. The remaining BF granulated slag sold to cement industries and SMS slag is utilized for road making after metal recovery. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
14	WASTE MANAGEMENT	Efforts shall be made to use low grade lime, more fly ash and solid waste in the cement manufacturing.	PPs Submission	Cement Plant not established yet within the premises. However, fly ash is being used for brick making and 100 percent solid waste is utilized as per recommended guidelines. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
15	Statutory compliance	Proper utilization of fly ash shall be ensured as per Fly	PPs Submission	Compliance assured. We	Enter	 Delete Row




		ash Notification, 1999 and subsequent amendment in 2003.		have installed fly ash brick plant in our plant premises for brick and block making and its all is being used in construction work. Complied 30-11-2024 Attachment:NA		
16	GREENBELT	As proposed, green belt shall be developed in an area of 133 ha (33%) within and around the plant premises to mitigate the effects of air emissions as per the CPCB guidelines in consultation with DFO.	PPs Submission	More than 5 Lakh saplings have been planted in the plant and covered approx. 40 percent of area (186 ha) with green belt which is more than 33 percent. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
17	MISCELLANEOUS	All the recommendations made in the charter on corporate responsibility for the environment protection (CREP) for the steel sector shall be implemented.	PPs Submission	The charter on corporate responsibility for the environment protection (CREP) for the steel sector already implemented. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row



General Conditions




Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents		Enter Status of Compliance	Action
1	Statutory compliance	The project authorities must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and	PPs Submission	Noted Agreed to Comply 30-11-2024 Attachment:NA	Enter	 Delete Row



		the state government.				
2	Statutory compliance	No further expansion or modifications in the plant should be carried out without prior approval of Ministry of Environment and Forests.	PPs Submission	Noted. Agreed to Comply 30-11-2024 Attachment:NA	<div>Enter</div>	<div><div></div>Delete Row</div>
3	AIR QUALITY MONITORING AND PRESERVATION	The gaseous emissions from the various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The state board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time, the emission levels shall go beyond the prescribed standards. On line continuous monitoring system shall be installed in stacks to monitor SPM and interlocking facilities shall be provided so that the process can be automatically stopped in case emission levels exceeds the limit.	PPs Submission	The gaseous emissions from the units are kept below the prescribed norms. The standards specified by the State Pollution Control Board for the air, water or any other parameters as applicable are being adhered. Proper interlocking has been incorporated in the DCS system to avoid the emission in case of failure of pollution control system. In the event of failure of any pollution control system, the respective unit will not be restarted until the control measures are rectified to achieve the desired efficiency. CEMS has been installed for online monitoring of the stack emission. Ambient Air monitoring is done at 04 different locations in	<div>Enter</div>	<div><div></div>Delete Row</div>

				JNIL. And its real time monitoring data are transmitting to CECB/CPCB server regularly. Also the company all the environmental parameters being carried out by NABL accredited lab in every six month. Complied 30-11-2024 Attachment:NA		
4	AIR QUALITY MONITORING AND PRESERVATION	In plant control measures for checking fugitive emissions from all vulnerable sources like spillage/raw material/coal handling etc. shall be provided. Further, specific measures like provision of dust suppression system consisting water sprinkling, suction hood, fans and bag filters etc. shall be installed at material transfer point, blast furnace, stock house and other enclosed raw material handling area, centralized de-dusting system i.e. collection of fugitive emission through suction hood and subsequent treatment through bag filter or any other device and finally emitted through a stack appropriately designed height conforming to the standards for induction furnaces existing in the industry and proposed	PPs Submission	To control fugitive emissions from all vulnerable sources like spillage/raw material/coal handling etc. covering of belts and proper skirt arrangements have been provided. Centralized de-dusting system (Bag filters) has been provided in the Stock house and cast house in Blast Furnace and other raw material handling areas. Dedicated water tankers and fix type water sprinkler have been provided to control the fugitive emission as well as regularly clean the road by road sweeping machine. Regular monitoring of the environmental parameters are	Enter	 Delete Row

		induction and arc furnaces. Fugitive emissions shall be regularly monitored and record maintained.		being carried out as per guidelines and records are maintained. Complied 30-11-2024 Attachment:NA		
5	AIR QUALITY MONITORING AND PRESERVATION	At least four air quality monitoring stations should be established in the downwind directions as well as where maximum ground level concentration of SPM, SO2 and NOx are anticipated in consultation with CECB. Data on ambient air quality and stack emission should be regularly submitted to this Ministry including its Regional office at Bhopal and the CECB/CPCB once in six months	PPs Submission	04 nos. Continuous ambient air Quality monitoring station (CAAQMS) and continuous emission monitoring system (CEMS) have been installed in plant. The real time data transmitting in CECB/CPCB server. Monthly Ambient and Stack emission monitored data is being submitted to CECB and once in six month to CPCB. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
6	WATER QUALITY MONITORING AND PRESERVATION	Industrial waste water properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31 December, 1993 or as amended from time to time. The treated waste water shall be utilized for plantation purpose.	PPs Submission	All the industrial waste water collected and treated in ETP and treated Water is being utilized for plant process, dust suppression and green belt development Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
7	Noise Monitoring & Prevention	The overall noise levels in and around the plant area shall be kept	PPs Submission	The noise levels are monitored regularly and	Enter	 Delete Row

		<p>well within the standards (85 dBA) by the providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels should conform to the standards prescribed under EPA rules, 1989 viz, 75 dBA (daytime) and 70 dBA (nighttime).</p>		<p>overall noise level is kept below 85 dB (A) by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. We will always ensure that this is fully complied in future also. Ambient Noise level data monitored and submitted. Complied 30-11-2024 Attachment:NA</p>		
8	Human Health Environment	Occupational Health Surveillance of the workers should be done on the regular basis and records maintained as per the Factories Act.	PPs Submission	<p>Periodical medical checkup is undertaken and records are maintained as per the Factories Act. Complied 30-11-2024 Attachment:NA</p>	Enter	 Delete Row
9	MISCELLANEOUS	The Company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging ground water tables.	PPs Submission	<p>The Company has been constructed 10 nos. rain water harvesting pits and 06 nos. ponds to recharge ground water table at plant premises i.e. Administration Building, Central Store, SMS, Rolling Mill area, coke oven and DRI. Complied 30-11-2024 Attachment:NA</p>	Enter	 Delete Row

10	MISCELLANEOUS	The project proponent shall also comply with all environmental protection measures and safe guard recommended in EIA/EMP report. Further the Company must undertake socio economic development activities in the surrounding villages like community development programmers, educational programmers, drinking water supply and health care's etc.	PPs Submission	The period of April 24 to September 24 Rs. 7.68 Cr have been invested on Environmental Protection Measures. The company regularly doing CSR activity from the period of April 24 to September 24 Rs. 53.78 Lacs has been expended in our surroundings areas. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
11	MISCELLANEOUS	As proposed, Rs. 185.00 crores and Rs. 18.50 crores shall be earmarked towards capital cost and recurring cost/annum for the environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as state Government. An implementing schedule for implementing all the conditions stipulated here in shall be submitted to the Regional Office of Ministry at Bhopal. The funds so provided shall not be diverted for any other purposes.	PPs Submission	The period of April 24 to September 24 Rs. 7.68 Cr have been invested on Environmental Protection Measures. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
12	MISCELLANEOUS	The Regional Office of this Ministry at Bhopal/CPCB/CECB will monitor the stipulated conditions. A six-	PPs Submission	The Company is regularly submitting the six-monthly reports along with the monitoring	Enter	 Delete Row

		monthly compliance report and monitored data along with statistical interpretation shall be submitted to them regularly.		data to the concerned statutory authorities Complied 30-11-2024 Attachment:NA		
13	MISCELLANEOUS	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the CECB and may also be seen at Website of Ministry of Environment and Forests at http://envfor.nic.in . This shall be advertised within the seven days of issue of the clearance letter., at least in two local newspaper that are widely circulated in the region of which one shall be in vernacular language of the locality concerned and a copy of the same should be forward to Regional Office.	PPs Submission	Newspaper publication on Deshbandhu and Hitvada dated 25.08.2009. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row
14	MISCELLANEOUS	Project authorities shall inform the Regional Office as well as the Ministry, the date of the financial closure and final approval of the project by the concerned authorities and the date of the commencing the land development work.	PPs Submission	The date of the last financial closure and final approval of the project by 2015-16. Complied 30-11-2024 Attachment:NA	Enter	 Delete Row

Document Upload

Last Site Visit Report (if available)

No file chosen

(Upload Pdf only Max 20 MB)

Last Site Visit Report Date (if available)

02-02-2023

Additional Attachment (if any)

No file chosen

(Upload Pdf only Max 20 MB)

Additional Remarks (if any)

- ☒ I 'Jayaswal Neco Industries Limited' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Save as Draft & Preview