# **JAYASWAL NECO INDUSTRIES LTD**

 CIN: L28920MH1972PLC016154
 (STEEL PLANT DIVISION)

 SILTARA GROWTH CENTRE, BILASPUR ROAD, SILTARA, RAIPUR - 493111 (C.G.) - INDIA

 PH.: +91-7721-264241, 264263 FAX: +91-7721-264279, 264240 Email: spd@necoindia.com



JNIL/ENV/Manpur/2022/ 186 Date: 01/12/2022

The Deputy Director General of Forests (Central), Ministry of Environment, Forest & Climate Change, Regional Office(Western Central Zone), Ground Floor East Wing, New Secretriate Building, Civil Lines, Nagpur-440 001.

- Sub :- Six Monthly EC Compliance Report for the period 1<sup>st</sup> April, 2022 to 30<sup>th</sup> Sept., 2022 of Manpur Open cast limestone Mine with production capacity 78,000 TPA, (Lease area-12.145 ha.) located near village - Manpur, Tehsil-Sahaspur Lohara, District-Kabirdham (Chhattisgarh).
- Ref:- (i) EC letter No. 905/SEIAA–CG/EC/Mining/RYP/41/08, Raipur Dated 31/07/2014.
  - (ii) Amendment E.C. vide order No.91/SEIAA, C.G./EC/Lime Stone / Kabirdham/41 Raipur Dated.26/04/2017.

Sir,

This has with reference to the above referred letter for the subject matter. Please find enclosed herewith the Six Monthly Environmental Clearance Compliance Status Report of Manpur Lime Stone Mine-12.145 Ha, Village- Manpur, Tehsil-Sahaspur Lohara, District-Kabirdham(Chhattisgarh) for the period of 1<sup>st</sup> April, 2022 to 30<sup>th</sup> Sept., 2022. We had also tried to submit online EC Compliance report on Parivesh 2.0 but it could not be submitted due to some unknown problem on Parivesh Portal.

This is for your kind information please.

Thanking you,

Yours faithfully, For Jayaswal Neco Industries Ltd.

Susanta Kumar Moitra Associate Director

#### Encl : As above.

CC to :

2. The M.S. – SEAC, Chhattisgah,
Paryavas Bhavan,
North Block Sector-19,
Naya Raipur(C.G.) 490 099.
4. The Zonal Officer,
Central Pollution Control Board,
Sahkar Bhawan, 3 <sup>rd</sup> Floor,
North T.T. Nagar, Bhopal (M.P.).
Noturi I. I. Nagar, Bhopar (M.F.).

 REGD. OFFICE : F-8, MIDC INDUSTRIAL AREA, HINGNA ROAD, NAGPUR - 440 016 (M.S.) (INDIA)

 PHONES : +91-7104-237276, 237471, 237472, 236251 FAX : +91-7104-237583, 236255

 E-mail : contact@necoindia.com

 Website : www.necoindia.com

## <u>Compliance Status of Environment Clearance</u> (Period from 1<sup>st</sup> April, 2022 to 30<sup>th</sup> September, 2022)

**Capacity & Location:-** Manpur Opencast Lime stone Mine with production capacity 78.000 TPA (Lease area-12.145 ha.) issued vide letter 905/SEIAA-CG/EC/Mining/RYP/41/08, Raipur Dated 31/07/2014.located near village - Manpur, Tehsil-Sahaspur Lohara, District-Kabirdham(Chhattisgarh)

EC Letter No:- 905/SEIAA-CG/EC/Mining/RYP/41/08, Raipur Dated 31/07/2014.

Sr. No.	Particulars	Compliance
Α.	Specific Conditions	
i.	No two pits shall be simultaneously worked i.e. before the first pit is exhausted and reclamation work completed no mineral bearing area shall be worked. Maximum depth of the mine shall not be more than 10 meters. Underground water table shall not be encountered due to any mining operations under any circumstances.	
ii.	After exhausting the first mine pit and before starting mining operations in the next pit, reclamation and plantation works in the exhausted pit shall be completed so as to ensure that reclamation, forest cover and vegetation are visible during the first year of mining operations in the next pit. This process shall follow till the last pit is exhausted. Adequate rehabilitation of mined pit shall be completed before any ore bearing area is worked.	
iii.	Adequate buffer zone shall be maintained between two consecutive mineral bearing deposits.	Noted.
iv.	Fugitive dust suppression shall be controlled. Fugitive dust emission shall be relatively monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and periodic reports shall be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal.	is carried out and report submitted to all govt. office along with monthly/half yearly
V.	Project authority shall ensure outlet dust (particulate matter) emission less than 50 mg/NM3. Project authority shall confirm to the standards prescribed in schedule-1 of Environment (Protection) Rules, 1986 (as amended) by Ministry of Environment & Forests, Government of India. The Chhattisgarh Environment Conservation Board may specify more stringent standards for the relevant parameters keeping in view the nature of the industry and its size and location. At no time the emission level shall go beyond the prescribed standards.	This condition is not applicable for mining.

vi.	Shelter belt i.e. wind break of 30m width and consisting of at least 5 tiers around lease facing the school / habitation / agriculture fields (if any in the vicinity) shall be raised.	Compliance assured.
vii.	A 50m barrier of no mining zone all along the side(s) facing the nallah (if any) passing through the lease area of passing adjacent to the lease shall be demarcated and thick vegetation of native species raised in the said barrier. Status of implementation shall be submitted to Chhattisgarh Environment Conservation Board, Raipur Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forest, Government of India, Bhopal half yearly basis.	conditions stipulated in the NOC granted by the irrigation
viii.	It shall be ensured that no silt originating due to mining activity is transported to the any surface water course running in and around the lease area.	Compliance assured.
ix.	Need based assessment of the nearby villages shall be conducted to study economic measures which can help in up-liftment of poor section of society. Income generating projects/ tools such as development of fodder farm, fruit bearing orchids, vocational training etc. can form a part of such programme, Project authority shall provide separate budget for community development activities and income generating programmes. This shall be addition to vocational training for individuals imparted to take up self- employment and jobs.	Noted for compliance.
Х.	Project authority shall adopt additional two villages for community development works in order to improve the amenities as a part of commitment towards social and economic up-liftment of the area. As per demand of public, the proposal for providing cement on the concession rates to the local people will be implemented shortly.	Noted for compliance.
xi.	Land use pattern of the near-by villages shall be studied and action plan for abatement and compensation for damage to agricultural land / common property land( if any) in the near by villages due to mining activity shall be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal within six months, Annual status of implementation of the plan and expenditure thereon shall be reported to the Chhattisgarh Environment Conservation Board, Raipur. Regional Office Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forest, Govt. of India, Bhopal from time to time.	
xii.	Maintenance of village roads through which transportation of ores are undertaken shall be carried out by the project authority regularly at its own expenses. The roads shall be black topped.	

xiii.	Project authority shall adopt rainwater-harvesting technique in the project area for recharge of ground water. The rainwater-harvesting technique shall be incorporated right from the design stage of all structures. Project authority shall develop rainwater harvesting structures to harvest the rainwater for utilization in the lean season as well as to recharge the ground water table. A detailed scheme for rainwater harvesting to recharge the ground water aquifer shall be prepared in consultation with Central Ground Water Authority/ State Ground Water Board. A copy of the same shall be submitted within three months to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal. Prior permission from the competent authority shall be obtained for extraction of ground water and project authority shall submit permission from Central Ground Water Board for withdrawal of ground water.	developed. Permission from the competent authority has been obtained for extraction of ground water NOC No – CGWA/NOC/MIN/ORIG/2021/ 13272, Application no. 21- 4/4422/CT/MIN/2021.
Xiv.	Measures of prevention and control of soil erosion and management of silt shall be undertaken. Protection of dumps against erosion shall be carried out with geo textile mating or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.	mine area.
XV.	Garland drain of appropriate size, gradient and length shall be constructed for both mine pit and for waste dump and sump capacity shall be designed keeping 50% safety margin over and above peek sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de listed at regular intervals Trenches / garlands drains shall be constructed at foot of dumps installed at regular intervals to arrest silt from being carried out top water bodies. Adequate number of check dams and gully plugs shall be constructed across seasonal / perennial nallahs (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.	
xvi.	Ground water in the core zone shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur. Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India., Bhopal regularly. Further monitoring points shall be located between the mine and drainage in the direction of flow of ground water shall be up and records maintained.	for the month of Aug 2022
xvii.	Cultivable waste land (within 5 km of the lease) shall be identified	Noted for compliance

	and fodder farming or other suitable productive use of waste land shall be taken up in phased manner. Status of implementation shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal.	
xviii.	Adequate protection against dust and other environmental pollution arising due to mining activity shall be made so that human habitation located near the lease (as applicable) are not adversely affected. The status of implementation shall be reported to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests Government of India. Bhopal and work shall be completed before start of mining.	
xix.	Monitoring of soil samples for assessment of contamination due to mining activity (as applicable) shall be regularly conducted and records maintained.	Noted for compliance.
XX.	Transportation of lime stone shall be done by covering the trucks with tarpaulin or other suitable mechanism so that no spillage of lime stone / dust takes place.	Complied, transportation of ore is being done with covered vehicle only.
xxi.	Occupational health and safety measures of the workers including identification of work related health hazards, training on materials eradication, HIV, and health effects on exposure to mineral dust etc. shall be carried out. The Project authority shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to repairable mineral dust on the workers shall be conducted and records maintained including health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures undertaken (at intervals of five years or less) shall be conducted followed by follow up action where ever required.	checkup of the employees is being done.
xxii.	Top soil / soil waste shall be stacked properly with proper slope and adequate safeguards and shall utilized for backfilling (where ever applicable) for reclamation and rehabilitation of mined out areas. Top soil shall be separately stacked for utilizing later for reclamation and shall not be stacked along with overburden.	soil on the mining lease area as the rocks are exposed in
xxiii. •	Overburden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 06 meter and overall slope of the dump shall not exceed 28deg. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface run off.	is earmarked for storage of

xxiv.	A study shall be commissioned to study the various slope stability parameters to reach at the optimum slope angle. Appropriate factor of safety shall be adopted based on the study and sensitivity analysis of critical parameters of slope stability.	safety precautions adopted
XXV.	Study report on subsidence and stage wise development plan starting from 5 <sup>th</sup> year of operation till the end of the mine at an interval of 5 years should be submitted. Regular monitoring of subsidence movement on the surface over working area and impact on water bodies / vegetation / structures /surrounding should be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate measures should be taken to avoid loss of life and material. Cracks should be effectively plugged with ballast and clayey soil / suitable material.	
xxvi.	Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal on six monthly basis.	
xxvii.	Adequate plantation shall be raised in the mining lease area, haul roads, OB dump sites etc. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO / Agricultural Departments. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. A wide green belt of broad besides tree plantation. A wide green belt of broad leaf local species shall be developed in at least 33% of the project area. The density of the trees shall not be less than 2500 plants per Ha. The Project authority shall involve local people with the help of self help group for plantation programme. Details of year wise afforestation programme including rehabilitation of mines out area shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment of India, Bhopal every year.	saplings Mining Lease area in monsoon season, 225 saplings distributed near by Villages & 25 Nos. saplings done at out side the lease area – during the year – 2022- 23. Types of Plants Gulmohar, peltform, Jamun, Khamhar
	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year-pre monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected shall be regularly sent to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forest, Government of India, Bhopal, Central Ground Water Authority and Regional Director, Central Ground	Monitoring report attached as

.

	Water Board.	
xxix.	Adequate air monitoring stations shall be installed in the areas of human habitations near the mine and the results of ambient air quality shall be maintained and regularly submitted to Chhattisgarh Environment Conservation Board, Raipur Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Environment & Forests, Government of India, Bhopal.	is being done and monitoring results are submitted to all concern agencies along with
<b>XXX</b> .	The waste water from the mine shall be treated to conform to the prescribe standards before reuse in different purpose. The discharged water from the settling pond shall be regularly monitored and report submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh, and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal Central Pollution Control Board.	from the mining activity.
xxxi.	Vehicular emissions shall be kept under control and regularly monitored Vehicles used for transportation of ores and ores and others shall have valid permissions as prescribed under Central Motor Vehicles Rules, 1989 and its amendments. Transportation of ore shall be done only during day time. The vehicles transporting ores shall be covered with a tarpaulin or other suitable enclosures so that no dust particles / fine matters escape during the course of transportation. No overloading of lime stone for transportation shall be committed.	of vehicle is being done. Transportation is being done only in day time with tarpaulin
xxxii.	Detailed action plan with respect to suggestions / improvements and recommendations made during public consultation / hearing shall be submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh, Government of Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal within six months. Implementation status shall be submitted every six month regularly.	Complied.
XXXIII.	A final mine closure plan, along with details of corpus fund shall be submitted to the SEIAA, Chhattisgarh and Regional Office, Ministry of Environment Forests, Government of India, Bhopal in 5 years in advance of the final mine closure for approval.	Noted for compliance.
B.	General Conditions	· · · · · · · · · · · · · · · · · · ·
i.	No change in mining technology and scope of working shall be without prior approval of SEIAA, Chhattisgarh.	Noted for compliance.
ii.	No change in calendar plan including excavation, quantum of mineral and waste shall be made.	Noted for compliance.
iii.	Fugitive dust emissions from all the sources shall be controlled regularly Water spaying arrangement on haul roads, loading and at	Complied, regular water spray is done to control

	regular points shall be provided and properly maintained.	fugitive dust emission.
iv.	Four ambient air-quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM2.5, PM10, SO2, NOX monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecology sensitive targets and frequency of monitoring should be undertaken in consultation with the Chhattisgarh Environment Conservation Board.	air monitoring stations are established and data of air quality is monitored on regular intervals and submitted
· · · · · · · · · · · · · · · · · · ·		Air quality monitoring report for the period 1 <sup>st</sup> April, 2022 to 30th September, 2022 is enclosed for your reference - Annexure-A.
ν.	Date of ambient air quality (PM2.5, PM10, SiO2, NOX) should be regularly submitted to the Chhattisgarh Environment Conservation Board, Raipur, Regional Environment Conservation Board, Bhilai- Durg, SEIAA, Chhattisgarh, Government of Chhattisgarh and Regional Office, Ministry Environment & Forests, Government of India, Bhopal and Central Pollution Control Board once in six months.	report for the period of 1 <sup>st</sup> October,-2021 to 31 <sup>th</sup> March- 2022 is submitted to all concern govt, offices vide our
vi.	Project authority shall take proper action to control the noise pollution. Workers engaged in operations of HEMM etc. shall be provided with ear plugs, muffs. The noise level shall not exceed the limits 75 dB (A) during the day time and 70 dB (A) during the night time within the mine premises Project authority shall take adequate measures for control of noise level below 85 dB (A) in the work environment. Workers engaged in noisy areas shall be periodically examined to maintain audio metric record and for treatment for any hearing loss including rotating them to non-noisy / less noisy areas.	carried. Air quality monitoring report for the period 1 <sup>st</sup> April, 2022 to 30 <sup>th</sup> September, 2022 is enclosed for your reference - <b>Annexure-B</b> .
vii.	Project authority shall provide adequate facility for proper treatment of industrial effluent mine water and domestic effluent. Project authority shall provide effluent treatment plant. Treated / un-treated effluent collection pond shall be lined suitably to prevent seepage in to ground for avoiding ground water contamination. All the effluent treatment system shall be kept in good running condition all the time and failure (if any), shall be immediately rectified without delay otherwise similar alternate arrangement shall be made. Project authority shall ensure the treated effluent quality within standard prescribed by Ministry of Environment & Forests, Government of India.	from mines operation.
viii. •	Any liquid effluent what so ever generated from industrial and mining activities shall not be discharged in the river or any surface water bodies under any circumstances, and it shall be reused wholly in the process / plantation. All the industrial effluent generated shall be re-circulated / reused after proper treatment. Project authority shall provide sewage treatment plant of adequate capacity for treatment of domestic effluent generated. The un- treated domestic effluent shall not be discharge into the river or any	from mines operation

	surface water bodies. The treated domestic effluent shall be used for plantation purpose after proper disinfection. Project authority shall make proper arrangements of suitable drains / pipe networks to ensure adequate flow for utilization of treated effluent inside the premises. The concept of zero discharge shall be maintained all the time except during monsoon. Arrangements shall be made that effluents and storm water do not get mixed.	
ix.	Project authority shall provide adequate measuring arrangements for the measurement of water utilized in different categories and effluent generated before commissioning of the mining activity.	Complied, monitoring arrangement is provided for water consumption.
х.	Personal working in dusty areas shall be provided with protective respiratory devices and they shall also be imparted adequate training and information on safety and health aspects.	Complied, necessary PPE's provided to the personals working in dusty areas.
xi.	Occupational Health Surveillance of the workers should be done on a regular basis and records maintained as per the factories Act and records shall be maintained properly for at-least 30-40 years.	Complied.
xii.	The project authority shall also comply with all the environmental protection measures and safe guards recommended in the EIA/EMP report.	Compliance assured.
xiii.	Provisions shall be made for the housing the laborers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medicinal health care, crèche etc. The housing may be in the form of temporary structures to the removed after the completion of the project.	Hectares, where in the entire area is exposed to rocks. No permanent or temporary
xiv.	Project authority shall establish an environmental management cell to carryout function relating to environmental management under the supervision of senior executive who shall directly report to the head of organization. A full fledged laboratory with qualified technical/scientific staffs to monitor the influent, ground water, surface water, soil and ambient air quality etc. shall be provided.	environment cell with full fledged laboratory is established at Steel Plant
xv.	Adequate funds shall be allocated for undertaking CSR activities (community welfare, environmental development activities apart from committed plantation) and in any case it shall not be less than 5% of the royalty along with 10% annual increase in subsequent years. Details of activities shall also be submitted to Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Environment & Forest, Government of India, Bhopal. The funds earmarked for the environment protection measures shall not be diverted for other purpose and year-wise expenditure should be reported to the Chhattisgarh Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal. Piped drinking water,	period from 1 <sup>st</sup> April, 2022 to 30 <sup>th</sup> September, 2022 Rs91,373 (Rupees Ninety One Thousand Three Hundred Seventy Three Only) for head of expenditures in Health, Drinking water and Promotion Development of Traditional Art, Culture & Community Welfare.

	school, development of pastureland for cattle feed and medica facilities as desired by Gram Panchayat(s) to be provided. Loca labourers shall be given employment in the mines.	$\begin{bmatrix} 1 & & \\ 1 & & \\ 1 & & \\ 1 & & \\ 1 & & \\ 5 & & \\ 8 & & \\ 5 & & \\ 8 & & \\ 1 $
xvi.	The issuance of this environment clearance does not convey any property rights in either real or personal property, or any exclusive privileges, nor does not authorize any injury to private property or any invasion of personal rights, nor any infringement of Central State or Local laws or regulations.	e r
xvii.	SEIAA, Chhattisgarh reserves the right to amend / cancel any of the conditions and add new conditions and make further stringent the emission / effluent limit as and when deemed necessary in the interest of environmental protection, change in the project profile or non-satisfactory implementation of the stipulated conditions etc.	
xviii.	Project authority shall ensure the generation of employment in the local areas, recruitment shall be done by inviting applications first from the local residents of the Chhattisgarh State. In case of non-availability of suitable candidates for certain post in the first attempt the project authority may call the applications as second call not only from local residents of he Chhattisgarh State but also from other State.	
xix.	The project authority shall advertise in at-least two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned within seven days from the date of this clearance letter, informing that the project has been accorded environmental clearance and copies of clearance and copies of clearance letter are available with the Chhattisgarh Environment Conservation Board and may also seen at Website of the Ministry of Environment and Forests at <u>www.envfor.nic.in</u> and website of SEIAA, Chhattisgarh at <u>www.seiaacg.org</u> .	name Dainik Bhaskar and Navbharat dated 06.08.2014.
<b>XX</b> .	Half yearly report on the status of implementation of the stipulated conditions, monitoring data along with statistical interpretation and Environment Conservation Board, Raipur, Regional Office, Chhattisgarh Environment Conservation Board, Bhilai-Durg, SEIAA, Chhattisgarh and Regional Office, Ministry of Environment & Forests, Government of India, Bhopal.	report for the period of 1 <sup>st</sup> October, 2021 to 31 <sup>st</sup> March, 2022 is submitted to all
xxi.	Regional office of the Ministry of Environment and Forests at Bhopal shall monitor the implementation of the stipulated conditions. A complete set of documents including Environment Impact Assessment Report and Environment Management plan along with the additional information submitted from time to time shall be forwarded to the Regional Office for their use during monitoring.	
xxii.	The Project Authority shall inform the Regional Office as well as the	Noted for compliance.

	SEIAA, Chhattisgarh regarding the date of financial closure and final approval of the project by the concerned authorities and the dates of start of commissioning of plant.	
xxiii.	Full cooperation shall be extended to the Scientists / Officers from the SEIAA, Chhattisgarh, Ministry of Environment & Forests, Government of India / Regional Office, Ministry of Environment & Forests, Government of India, Bhopal / the CPCB / Chhattisgarh Environment Conservation Board, who shall be monitoring the compliance of environment status.	
xxiv.	In case of any deviation or alteration in the proposed project from those submitted to this SEIAA, Chhattisgarh for clearance, a fresh reference should be made to the SEIAA, Chhattisgarh to assess the adequacy of the condition(s) imposed and to add additional environment protection measures required, if any. No further expansion or modifications in the plant should be carried out without prior approval of the Ministry of Environment & Forests, Government of India,/ SEIAA, Chhattisgarh.	
XXV.	The Project Authority must strictly adhere to the stipulations made by the Chhattisgarh Environment Conservation Board (CECB) and the State Government.	Noted for compliance.
xxvi.	The above stipulations shall be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) act, 1986 and rules there under, Hazardous Wastes (Management, Handling and Trans Boundary Movement) Rules, 2008 and its amendments the Public Liability Insurance Act, 1991 and its amendments.	
xxvii.	A copy of Clearance letter shall be marked to concerned Panchayat /Local / NGO if any, from whom suggestion / representation has been received while processing the proposal.	
xxviii.	Chhattisgarh Environment Conservation Board shall display a copy of the Clearance letter at the Regional Office, District Trade And Industries Center and Collector's Office / Tehsildar's Office for 30 days.	It is informed that the EC letter
xxix.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted for compliance.

ĥ

## Amendment Environment Clearance Compliance report vide order No.91/SEIAA, C.G./EC/Lime Stone / Kabirdham/41 Raipur Dated.26/04/2017.

S.N	Condition	Compliance
0.		•
1	The capacity of Crushing & Screening Unit shall not be more than 50 TPH.	Noted for Compliance.
2	For Air Pollution Control in Crushing & Screening Unit, Industry shall install bag filter with suction Hoods. For Control of Fugitive dust emission in Crushing & Screening unit, at transfer points / Junction points fogging system shall be provided and it shall be covered with green net. For dust emission points water sprinkling arrangement shall be provided.	covered and have in built water sprinkling / fogging system for control of dust emission. All transfer points and conveyor belt
3	Wind breaking wall shall be constructed in the Crushing & Screening Unit area.	Wind breaking wall provided in the crushing and screen unit.
4	Tree Plantation shall be carried out in the first year itself. In case tree plantation is not carried out, the Environment Clearance issued may be cancelled.	We had planted 150 Nos. saplings Mining Lease area in monsoon season, 225 saplings distributed near by Villages & 25 Nos. saplings done at out side the lease area – during the year – 2022-23. Types of Plants Gulmohar, peltform, Jamun, Khamhar, Karanj, Sitafal & Amla.

.

.

.

ĥ

٠



¥

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

To.	(8)48459 -	REPORT NO.	UES/TR/22-23/03622				
JNIL Manpur Lir		LAB REF NO.	UES/22-23/W/09037				
		DATE OF SAMPLING	24/08/2022				
	r, Tehsil – Sahaspur	DATE OF RECEIPT	25/08/2022				
Lonara, Distt: K	abir Dham 491995	DATE OF REPORT	30/08/2022				
		DATE OF ANALYSIS	START: 26/08/2022 END: 30/08/2022				
		SAMPLE DETAILS					
Customer Sample Id / Sampling Location	Manpur Mine Lease Area	Customer Ref. No. & Date	4200001176, DATED - 10/06/2022				
Sample Type	Ground Water	Sample Condition At Receipt	0k				
acking of Sample Plastic Bottle		Sample Collected By					
Other Details	Sealed	Quantity Received	Laboratory Chemist Approx 5 Ltr.				

#### REPORT NO.: 03622

SR.				AS PER IS	10500:2012	· · · · · · · · · · · · · · · · · · ·
NO.	PARAMETER	UNIT	METHOD OF TEST	Acceptable Limit	Permissible	RESUL
Ĺ	Colour	Hazen	IS:3025:(Part-4)	5	15	<1
2	pH Value at 25.4°C		IS:3025:(Part-11)	6.5-8.5	No Relaxation	7.32
3	Total Suspended Solids	mg/L	IS:3025:(Bart-17)			2.6
4	Total Dissolved Solids	mg/L	IS:3025:(Part-16)	500	2000	283.4
	Chloride (as Cl)	mg/L	IS 3025:(Part-32)	250	1000	29.9
6	Turbidity	NTU	IS 3025:(Part-10)	1	5	1.41
7	Total Alkalinity (as CaCO <sub>3</sub> )	mg/Ъ	IS 3025:(Part-23)	200	600	120.0
8	Total Hardness (as CaCO <sub>3</sub> )	mg/L	IS 3025:(Part-21)	200	600	148.0
9	Calcium (as Ca)	mg/L	IS 3025:(Part-40)	75	200	37.6
10	Magnesium (as Mg)	mg∕Ľ	IS 3025:(Part-46)	30	100	13.1
11	Sulphate (as $SO_4$ )	mg/L	IS 3025:(Part-24)	200	400	28.8
12	Sodium (as Na)	mg/L	APHA 22 <sup>nd</sup> Edition			16.4
13	Fluoride (as F)	mg/l	IS 3025(part-60)	1	1.5	0.18
14	Nitrate (as NO3)	mg/l	IS 3025(part-34)	45	No Relaxation	1.08
15	Silica	mg/L	APHA 22 <sup>nd</sup> Edition			0.11
16	Copper (as Cu)	mg/l	IS 3025(part-42)	0.05	1.5	0.16
17	Iron (as Fe)	mg/l	IS 3025(part-53)	0.3	No Relaxation	N.D.
18	Zinc (as Zn)	mg/l	IS 3025(part-49)	5	15	N.D.
19	Nickel (as Ni)	mg/l	IS:3025:(Part-54)	0.02	No Relaxation	N.D.



Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

#### **REPORT NO.: 03622**

	×	· ·	TEST REPOR	RL		
60				AS PER IS	10500:2012	
SR. NO.	PARAMETER	UNIT	METHOD OF TEST	Acceptable Limit	Permissible limit	RESULT
20	Manganese (as Mn)	mg/l	IS 3025(part-59)	0.1	0.3	N.D.
21	Cadmium (as Cd)	mg/l	IS 3025(part-41)	0.003	No Relaxation	<b>N.D.</b>
22	Lead (as Pb)	mg/l	IS 3025(part-47)	0.01	No Relaxation	N.D.
23	Chromium (as Cr)	mg/l	Annex J of IS:13428	0.05	No Relaxation	N.D.
24	Phosphate (as PO4)	mg/L	APHA 22 <sup>nd</sup> Edition			N.D.
25	Arsenic (as As)	mg/l	IS 3025(part-37)	0.01	₩0.05	N.D.
26	Mercury (as Hg)	mg/l	IS 3025(part-48)	0.001	No Relaxation	N.D.
27	Phenolic Compound (as C6H5OH)	mg/l	IS 3025(part-43)	0.001	0.002	N.D.
28	Cyanide (as CN)	_ mg/l	IS 3025(part-27)	0.05	No Relaxation	N.D.
29	Total Coliform	MPN/1 00ml	IS: 1622:1981:RA:2019	-	-	Absent
30	E. Coli	MFN/ 100ml	IS: 1622:1981:RA: 2019	_		Absent

Note: mg/lit.: milligram per liter, N.D.: Not Detected.

#### REMARKS: RESULTS ARE AS ABOVE

#### Terms & conditions

- > The use of the report for publication, arbitration or as legal dispute is forbidden.
- > Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- > This is for information as the party has asked for above test(s) only.

For ULTIMATE ENVIROLYTICAL SOLUTIONS actu-30/08/22 22 00 C AUTHORIZED SIGNATORY **REVIEWED BY** 

-----End of the test report-----



w

Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

Albara I Adda og Di The Seet	077873s	REPORT NO.	UES/TR/22-23/03	3623
To,		LAB REF NO.	UE5/22-23/W/09038	
JNIL Manpur Lin	•	DATE OF SAMPLING	24/08/2022	
	r, Tehsil – Sahaspur	DATE OF RECEIPT	25/08/2022	
Lohara, Distt: K	abir Dham 491995	DATE OF REPORT	30/08/2022	
		DATE OF ANALYSIS	START: 26/08/2022	END: 30/08/2022
	· · · · · · · · · · · · · · · · · · ·	SAMPLE DETAILS		-
Customer Sample Id / Sampling Location	Manpur Village Area	Customer Ref. No. & Date	4200001175, DATED - 10	0/06/2022
Sample Type	Ground Water	Sample Condition At Receipt	0k	
Packing of Sample	Plastic Bottle	Sample Collected By	Laboratory Chemist	and a constant and a constant a starting a starting
Other Details	Sealed	Quantity Received	Approx 5 Ltr.	

#### **REPORT NO.: 03623**

			TEST REPOR	<b>T</b>		
SR.	PARAMETER	UNIT	METHOD OF TEST	si sinana mana manana manana sa	10500:2012	
NO.			METHOD OF TEST	Acceptable Limit	Permissible limit	RESULT
1	Colour	Hazen	IS:3025:(Part-4)	5	15	<1
2	pH Value at 25.4°C		IS:3025:(Part-11)	6.5-8.5	No Relaxation	7.34
3	Total Suspended Solids	mg/L	IS:3025:(Part-17)			1.8
4	Total Dissolved Solids	mg/L	IS:3025:(Part-16)	500	2000	284.4
5	Chloride (as Cl)	mg/L	IS 3025:(Part-32)	250	1000	26.9
6	Turbidity	NTU	IS 3025:(Part-10)	1	5	0.35
7	Total Alkalinity (as CaCO <sub>3</sub> )	mg∕L	IS 3025:(Part-23)	200	600	108.0
8	Total Hardness (as CaCO <sub>3</sub> )	mg/L	IS 3025:(Part-21)	200	600	120.0
9	Calcium (as Ca)	mg/L	IS 3025:(Part-40)	75	200	28.0
10	Magnesium (as Mg)	mg/L	IS 3025:(Part-46)	30	100	12.1
11	Sulphate (as $SO_4$ )	mg/L	IS 3025:(Part-24)	200	400	26.4
12	Sodium (as Na)	mg/L	APHA 22 <sup>nd</sup> Edition	wite	1999 - 1975 - 1976 - 1980 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 - 1976 -	20.2
13	Fluoride (as F)	mg/l	IS 3025(part-60)	1	1.5	0.28
14	Nitrate (as NO <sub>3</sub> )	mg/l	IS 3025(part-34)	45	No Relaxation	0.92
15	Silica	nig / L	APHA 22 <sup>nd</sup> Edition			0.11
16	Copper (as Cu)	mg/l	IS 3025(part-42)	0.05	1.5	N.D.
17	Iron (as Fe)	mg/l	IS 3025(part-53)	0.3	No Relaxation	N.D.
18	2inc (as Zn)	mg/l	IS 3025(part-49)	5	15	N.D.
19	Nickel (as Ni)	mg/l	IS:3025:(Part-54)	0.02	No Relaxation	N.D.



Recognized by Ministry of Environment Forest and Climate Change under EP act 1986

#### **REPORT NO.: 03623**

SR.	PARAMETER	UNIT		AS PER IS	10500:2012	
NO.		UNII	METHOD OF TEST	Acceptable Limit	Permissible limit	RESULT
20	Manganese (as Mn)	mg/l	IS 3025(part-59)	0.1	0.3	N.D.
21	Cadmium (as Cd)	mg/l	IS 3025(part-41)	0.003	No Relaxation	N.D.
22	Lead (as Pb)	mg/l	IS 3025(part-47)	0.01	No Relaxation	N.D.
23	Chromium (as Cr)	mg/l	Annex J of IS:13428	0.05	No Relaxation	N,D.
24	Phosphate (as PO4)	mg/L	APHA 22 <sup>ed</sup> Edition			N.D.
25	Arsenic (as As)	mg/l	IS 3025(part-37)	0.01 💌	0.05	N.D.
26	Mercury (as Hg)	mg/l	IS 3025(part-48)	0.001	No Relaxation	N.D.
27	Phenolic Compound (as C6H5OH)	mg/l	IS 3025(part-43)	0.001	0.002	N.D.
28	Cyanide (as CN)	mg/l	IS 3025(part-27)	0.05	No Relaxation	N.D.
29	Total Coliform	MPN/1 00ml	IS: 1622:1981:RA:2019			Absent
30	E. Coli	MPN/ 100ml	IS: 1622:1981:RA: 2019			Absent

#### REMARKS: RESULTS ARE AS ABOVE

Terms & conditions

×,

- The use of the report for publication, arbitration or as legal dispute is forbidden.
- Test sample will be retained for 15 days after issue of test report unless otherwise agreed with customer.
- This is for information as the party has asked for above test(s) only,

	1997 - 1997 - 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1997, 1	
		For ULTIMATE ENVIROLYTICAL SOLUTIONS
She u		and the second
30/08/22		Carrie
		2008 22
REVIEWED BY		AUTHORIZED SIGNATORY
	Card - Est - Car	

End of the test report-----End of the test report-----

·····		PERIOD – Month o	f August,2022		
Srl.No	Location / Village	Distance from M.L Boundary (KM)	Direction	Source of water	Water leve (Meter)
1	Village- Manpur	0.6	NE	Dug Well	0.6
2	Village- Manpur	1.0	NE	Dug Well	0.85
3	Village- Sighangarh	2.0	W	Bore Well	9.25
4	Village- Bargaon	1.8	SW	Bore Well	8.25

I

Sp. Eahre

Mines Manager

#### Annexure-A

# Manpur Lime Stone Mine-12.145 Ha., Tehsil-Sahaspur Lohara, Distt-Kabirdham(C.G.) AMBIENT AIR QUALITY MONITORING DATA

SL. No.	Location	Direction						Paran	neters	5				
NO.			PM 10				PM 2.	5		SOx		NOx		
			Min.	Max.	Avg.	Min.	Max	Avg.	Mip.	Max.	Avg.	Min.		Avg.
	Permissible Limit			100			60			80			80	
1.	Towards Ranjeetpur Village	North	24	45	37	18	26	22	7.1	12.7	9.7	7.2	12.1	9.9
2.	Towards Manpur Village	East	22	44	33	21	25	23	6.9	12.5	9.2	7	12.4	10.1
3.	Towards Sitlamata Mandir	South	19	46	33	21	25	23	7.2	12.7	10.4	7.1	12.6	10.5
4.	Towards Singangarh Village	West	23	46	37	20	26	23	7.4	12.2	10	7.1	12.2	9.9

### April - 2022 (All values are in µg/m³)

### May - 2022 (All values are in µg/m³)

SL. No.	Location	Direction	Parameters											
INO.			PM 10				PM 2.5			SOx			NOx	
			Min.	Max.	Avg.	Min.	Max	Avg.	Min.	Max.	Avg.	Min.	Max.	Avg.
	Permissible Limit			100	I		60			80			80	
1.	Towards Ranjeetpur Village	North	24	46	37	18	24	22	7.3	12.4	9.9	7	12.6	10
2.	Towards Manpur · Village	East	22	47	36	18	25	23	7.2	12.7	9.9	6.8	12.7	10.7
3.	Towards Sitlamata Mandir	South	22	44	33	20	25	22	6.9	12.3	10	7.2	12.5	10.3
4.	Towards Singangarh Village	West	25	46	37	18	26	22	7.1	12.4	9.9	7	12.7	10.5

SL.	Location	Direction						Paran	neters	5					
No.			PM 10				PM 2.5			SOx			NOx		
			Min.	Max.	Avg.	Min.	Max	Avg.	Min.	Max.	Avg.	Min.	Max.	Avg.	
	Permissible Limit			100			60	<u> </u>		80	<u> </u>		80		
1.	Towards Ranjeetpur Village	North	23	46	35	20	26	23	7.1	12.8	9.9	7.2	12.2	10.1	
2.	Towards Manpur Village	East	22	45	36	18	25	22	7	12.3	9.4	7.1	12.4	10.4	
3.	Towards Sitlamata Mandir	South	22	45	34	21	26	24	7.1	12.6	10.4	7.2	12.1	10.3	
4.	Towards Singangarh Village	West	25	43	37	18	25	22	6.9	12	9.7	7.2	12.2	10	

#### June - 2022 (All values are in µg/m³)

## July - 2022 (All values are in µg/m³)

SL.	Location	Direction						Paran	neters	5					
No.			PM 10				PM 2.5			SOx			NOx		
			Min.	Max.	Avg.	Min.	Max	Avg.	Min.	Max.	Avg.	Min.	Max.	Avg.	
	Permissible Limit			100			60			80	1		80		
1.	Towards Ranjeetpur Village	North	23	41	34	20	24	22	7.2	12.4	9.7	7	12.5	10.5	
2.	Towards Manpur Village	East	22	42	34	18	25	22	7.2	12.2	9.7	7	12.6	10.9	
3.	Towards Sitlamata Mandir	South	19	41	32	19	25	22	6.9	12.4	9.5	7.1	11.4	9.6	
4.	Towards Singangarh Village	West	20	40	34	18	24	21	7.1	12	9.7	7	12.5	10	

ĥ

SL.	Location	Direction	Parameters											
No.			PM 10			PM 2.	5		SOx		NOx			
			Min.	Max.	Avg.	Min.	Max	Avg.	Min.	Max.	Avg.	Min.		Avg.
	Permissible Limit			100	<u> </u>		60	<u> </u>		80			80	
1.	Towards Ranjeetpur Village	North	19	41	32	19	24	21	7	11.9	9.6	7.1	12.1	10.1
2.	Towards Manpur Village	East	18	40	32	18	22	20	6.9	12.4	9.4	7	12.2	10.2
3.	Towards Sitlamata Mandir	South	19	38	30	19	24	21	7.1	11	9.7	7	11.9	9.7
4.	Towards Singangarh Village	West	20	37	31	18	23	20	7.2	12.4	9.7	7.2	12.5	10.3

## Aug - 2022 (All values are in μg/m³)

## Sept. - 2022 (All values are in µg/m³)

SL.		Direction	Parameters											
No.			PM 10			PM 2.	5	SOx			NOx			
			Min.	Max.	Avg.	Min.	Мах	Avg.	Min.	Max.	Avg.	Min.	Max.	Avg.
	Permissible Limit			100			60	<u> </u>		80	. <u> </u>		80	<u> </u>
1.	Towards Ranjeetpur Village	North	18	40	32	19	23	21	7.2	12.2	10.1	6.9	12	9.5
2.	Towards Manpur Village	East	19	40	32	18	24	21	7.1	11.9	9	6.9	12.2	9.6
3.	Towards Sitlamata Mandir	South	19	37	29	16	23	20	7	12.3	10.1	7.2	11.5	9.8
4.	Towards Singangarh Village	West	20	40	32	19	23	21	7	12	9.6	7.1	11.9	9.6

• ,



A

#### Manpur Lime Stone Mine(12.145 Ha.) Tehsil-Sahaspur Lohara, District-Kabirdham(C.G.)

### NOISE LEVEL MONITORING DATA FOR THE MONTH OF April - 2022

S.No.		Day Time - 75 dB (A)				
		Min.	Max.	Avg.		
1	Towards Ranjeetpur Village	40	56	48		
2	Towards Manpur Village	41	60	50.5		
3	Towards Sitlamata Mandir	40	58	49		
4	Towards Singangarh Village	41	62	51.5		

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

#### NOISE LEVEL MONITORING DATA FOR THE MONTH OF May – 2022

S.No.	Location	Day Time - 75 dB (A)					
		Min.	Max.	Avg.			
1	Towards Ranjeetpur Village	41	59	50			
2	Towards Manpur Village	41	58	49.5			
3	Towards Sitlamata Mandir	41	62	51.5			
4	Towards Singangarh Village	40	61	50.5			

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

#### NOISE LEVEL MONITORING DATA FOR THE MONTH OF June – 2022

S.No.	Location	Day Time - 75 dB (A)					
		Min.	Max.	Avg.			
1	Towards Ranjeetpur Village	40	56	48			
2	Towards Manpur Village	41	60	50.5			
3	Towards Sitlamata Mandir	40	59	49.5			
4	Towards Singangarh Village	41	57	49			

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

S.No.	Location	Day Time - 75 dB (A)					
	·····	Min.	Max.	Avg.			
•	Towards Ranjeetpur Village	41	59	50			
2	Towards Manpur Village	41	62	51.5			
3	Towards Sitlamata Mandir	41	60	50.5			
4	Towards Singangarh Village	40	58	49			

### NOISE LEVEL MONITORING DATA FOR THE MONTH OF July - 2022

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

## NOISE LEVEL MONITORING DATA FOR THE MONTH OF August - 2022

S.No.	Location	Day Time - 75 dB (A)				
	· · · · · · · · · · · · · · · · · · ·	Min.	Max.	Avg.		
1	Towards Ranjeetpur Village	40	56	48		
2	Towards Manpur Village	41	60	50.5		
3	Towards Sitlamata Mandir	40	59	49.5		
4	Towards Singangarh Village	41	60	50.5		

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

### NOISE LEVEL MONITORING DATA FOR THE MONTH OF Sept. - 2021

S.No.	Location	Day Time - 75 dB (A)				
		Min.	Max.	Avg.		
1	Towards Ranjeetpur Village	41	59	50		
2	Towards Manpur Village	40	61	50.5		
3	Towards Sitlamata Mandir	41	56	48.5		
4	Towards Singangarh Village	41	58	49.5		

# Due to critical law and order situation mines is not operated in night shift hence noise level data for night time is not generated.

ĥ